Journal of Fish Diseases, 1991, **14**, 699–702

Author Index

AINSWORTH A. J., *see* WATERSTRAT P. R.
AKIMOTO M., *see* SANO T.
ALDERMAN D. J., *see* GERUNDO N.
ALEGBELEYE W. O., *see* AWA J. N.
AMARO C., *see* BIOSCA E. G.
– *See also* ESTEVE C.
AMYES S. G. B., *see* BARNES A. C.
ANGEL PALACIOS M., *see* RODRIQUEZ SAINT-JEAN S.
AOKI T. & HIRONO I.: Cloning and characterization of the haemolysin determinants from *Aeromonas hydrophila*, 303.
ATSUTA S., *see* SAKAI M.
AUSTIN B. & STOBIE M.: Recovery of yellow-pigmented bacteria from dead and moribund fish during outbreaks of rainbow trout, *Oncorhynchus mykiss* (Walbaum), fry syndrome in England, 677.
AWA J. N. & ALEGBELEYE W. O.: Occurrence and treatment of cracked-skull disease affecting Clarias spp. in homestead ponds in Nigeria, 467.

BANDIN I., *see* SANTOS Y.
BARKER G. A., SMITH S. N. & BROMAGE N. R.: Commensal bacteria and their possible relationship to the mortality of incubating salmonid eggs, 199.
BARNES A. C., AMYES S. G. B., HASTINGS T. S. & LEWIN C. S.: Fluoroquinolones display rapid bactericidal activity and lowmutation frequencies against *Aeromonas salmonicida*, 661.
BEAMISH F. W. M., *see* SPEARE D. J.
BENEDIKTSDÓTTIR E., HELGASON S. & GUDMUNDSDÓTTIR S.: Incubation time for the cultivation of Renibacterium salmoninarum from Atlantic salmon, Salmo salar L., brood fish 97
– *See also* GUDMUNDSDÓTTIR S.
BERNOTH E.-M.: Identification of cultured *Aeromonas salmonicida* by an indirect dot blot immunoassay, 419.
BIGAWA S., *see* NOTERDAEME L.
BIOSCA E. G., AMARO C., ESTEVE C., ALCAIDE E. & GARAY E.: Firstrecord of *Vibrio vulnificus* biotype 2 from diseased European eel, *Anguilla anguilla* L. 103.
BIOSCA E. G. & AMARO C.: Siderophores and related outer membraneproteins in *Vibrio* spp. which are potential pathogens of fish and shellfish, 249.
– *See also* BIOSCA E. G.
BØGWALD J., STENSVÅG K., HOFFMAN J. & JØRGENSEN T.: Antibodyspecificities in Atlantic salmon, *Salmo salar* L., against the fish pathogens *Vibrio salmonicida* and *Vibrio anguillarum*, 79.
BRANDT C. R., *see* DIXON M. G.
BRANSON E. J. & NIETO DIAZ-MUNOZ D.: Description of a new disease condition occurring in farmed coho salmon, *Oncorhynchus kisutch* (Walbaum), in South America, 147.
BRASIL J., *see* WATERSTRAT P. R.
BROKKEN E. S., *see* INGLIS V.
BROMAGE N. R., *see* BARKER G. A.
BUCKE D., FEIST S. W. & CLIFTON-HADLEY R. S.: The occurrence ofproliferative kidney disease (PKD) in cultured and wild fish: further investigations, 583.
BULLIS R. A., *see* FORSYTHE J. W.
BUNTON T. T. & POYNTON S. L.: *Kudoa* sp. (Myxosporea, Multivalvulida) infection in juvenile white perch, *Morone americana* (Gmelin): histopathology and spore morphology, 589.

CARLTON W. W., *see* FITZGERALD S. D.
CEUTERS R., *see* GRISEZ L.
CHABOT D. J. & THUNE R. L.: Proteases of the *Aeromonas hydrophila* complex: identification, characterization and relation to virulence in channel catfish, *Ictalurus punctatus* (Rafinesque), 171.
CHÁVEZ DE MARTÍNEZ M. C. & RICHARDS R.: Histopathology of vitamin C deficiency in a cichlid, *Cichlasoma urophthalmus* (Gunther), 507.
CHOWDHURY M. B. R. & WAKABAYASHI H.: A study on *Flexibacter columnaris* infection in loach, *Misgurnus anguillicaudatus* (Bleeker, Gunther), 389.
CLIFTON-HADLEY R. S., *see* BUCKE D.
– *See also* GERUNDO N.
COLL J. M., *see* ESTEPA A.
CONE D. K. & CUSACK R.: Description of myxosporean presporogonicphases in the kidney of brook trout, *Salvelinus fontinalis* (Mitchill), in Nova Scotia, Canada, 503.
COURTNEY L. A. & FOURNIE J. W.: Ocular chondrosarcomas in *Rivulus marmoratus* Poey, 111.
CUSACK R., *see* CONE D. K.
CVITANICH J. D., GARATE N. O. & SMITH C. E.: The isolation of arickettsia-like organism causing disease and mortality in Chilean salmonids and its confirmation by Koch's postulate, 121.

DAVIDSON G. A., ELLIS A. E. & SECOMBES C. J.: Cellular responses of leucocytes isolated from the gut of rainbow trout, *Oncorhynchus mykiss* (Walbaum), 651.
DAVIES A. J., *see* EIRAS J. C.
DAVIES R. L.: Clonal analysis of Yersinia ruckeri based on biotypes, serotypes and outer membrane protein-types, 221.
DAVIES R. L.: *Yersinia ruckeri* produces four iron-regulated outer membrane proteins but does not produce detectable siderophores, 563.
DIXON M. G., HECHT T. & BRANDT C. R.: Identification and treatment of a *Clostridium* and *Vibrio* infection in South African abalone, *Haliotis midae* L., 693.

EATON B. T., HYATT A. D. & HENGSTBERGER S.: Epizootic haematopoietic necrosis virus: purification and classification, 157.
– *See also* HYATT A. D.
EGGSET G., *see* LUND V.

EIRAS J. C. & DAVIES A. J.: *Haemogregarina bigemina* Laveran & Mesnil, 1901 (Protozoa, Apicomplexa) from *Blennius pholis* L. (Osteichthyes, Blenniidae): an investigation of seasonality in Portugal, 683.
ELLIS A. E.: An appraisal of the extracellular toxins of *Aeromonas salmonicida* ssp. *salmonicida*, 265.
– *See also* DAVIDSON G. A.
– *See also* LEE K.-K.
– *See also* NIETO T. P.
ENGER Ø., *see* HUSEVÅG B.
ESHIMA T., *see* KITAO T.
ESPELID S., RØDSETH O. M. & JØRGENSEN T. O.: Vaccination experiments and studies of the humoral immune responses in cod, *Gadus morhua* L., to four strains of monoclonal-defined *Vibrio anguillarum*, 185.
ESTEPA A. & COLL J. M.: Infection of mitogen-stimulated troutleucocytes with salmonid viruses, 555.
ESTEVE C. & AMARO C.: Siderophore production in Aeromonas spp. isolated from European eel, *Anguilla anguilla* L., 423.
– *See also* BIOSCA E. G.

FAIVRE B., *see* MICHEL C.
FEIST S. W., *see* BUCKE D.
– *See also* GERUNDO N.
FERGUSON H. W., *see* SPEARE D. J.
FITZGERALD S. D., CARLTON W. W. & SANDUSKY G.: Metastatic squamous cell carcinoma in a hybrid sunfish, 481.
FORSYTHE J. W., HANLON R. T., BULLIS R. A. & NOGA E. J.: *Octopus bimaculoides* (Pickford & McConnaughey, 1949): a marine invertebrate host for ectoparasitic protozoans, 431.
FOURNIE J. W., *see* COURTNEY L. A.
FRERICHS G. N. & HOLLIMAN A.: Isolation of a brown pigment-producing strain of *Pseudomonas fluorescens* cross-reacting with *Aeromonas salmonicida* diagnostic antisera, 599.
– *See also* INGLIS V.

GARATE N. O., *see* CVITANICH J. D.
GARAY E., *see* BIOSCA E. G.
GATESOUPE F.-J.: Experimental infection of turbot, *Scophthalmus maximus* (L.), larvae with a strain of *Aeromonas hydrophila*, 495.
GERUNDO N., ALDERMAN D. J., CLIFTON-HADLEY R. S. & FEIST S. W.: Pathological effects of repeated doses of malachite green: apreliminary study, 521.
GRAVNINGEN K., *see* SANTOS Y.
GRIFFITHS S. G. & LYNCH W. H.: Instability of the major solubleantigen produced by *Renibacterium salmoninarum*, 55.
GRISEZ L., CEUTERS R. & OLLEVIER F.: The use of API 20E for the identification of *Vibrio anguillarum* and *V. ordalii*, 359.
GROENEVELD A., *see* HOUGHTON G.
GUDMUNDSDÓTTIR S., HELGASON S. & BENEDIKTSDÓTTIR E.: Comparison of the effectiveness of three different growth media for primary isolation of *Renibacterium salmoninarum* from Atlantic salmon, *Salmo salar* L., brood fish, 89.
– *See also* BENEDIKTSDÓTTIR E.

HANLON R. T., *see* FORSYTHE J. W.
HASTINGS T. S., *see* BARNES A. C.
HECHT T., *see* DIXON M. G.
HELGASON S., *see* BENEDIKTSDÓTTIR E.
– *See also* GUDMUMDSDÓTTIR S.
HENGSTBERGER S., *see* EATON B. T.
– *See also* HYATT A. D.
HIRONO I., *see* AOKI T.
HOFFMAN J., *see* BØGWALD J.
HOLLIMAN A., *see* FRERICHS G. N.
HOLM K. O., *see* LUND V.
HONGSLO T., *see* JANSSON E.
HOUGHTON G., WIERGERTJES G. F., GROENEVELD A. & VAN MUISWINKEL W. B.: Differences in resistance of carp, *Cyprinus carpio* L., to atypical *Aeromonas salmonicida*, 333.
HUSEVÅG B., LUNESTAD B. T., JOHANNESSEN P. J., ENGER Ø. & SAMUELSEN O. B.: Simultaneous occurrence of *Vibrio salmonicida* and antibiotic-resistant bacteria in sediments at abandoned aquaculture sites, 631.
HYATT A. D., EATON B. T., HENGSTBERGER S. & RUSSEL G.: Epizootichaematopoietuc necrosis virus: detection by ELISA,immunohistochemistry and immunoelectron-microscopy, 605.
– *See also* EATON B. T.

INGLIS V., FRERICHS G. N., MILLAR S. D. & RICHARDS R. H.: Antibiotic resistance of *Aeromonas salmonicida* isolated from Atlantic salmon, *Salmo salar* L., in Scotland, 353.
INGLIS V., RICHARDS R. H., VARMA K. J., SUTHERLAND I. H. & BROKKEN E. S.: Florfenicol in Atlantic salmon, *Salmo salar* L., parr: tolerance and assessment of efficacy against furunculosis, 343.
INGLIS V. & RICHARDS R. H.: The *in vitro* susceptibility of *Aeromonas salmonicida* and other fish-pathogenic bacteria to 29 antimicrobial agents, 641.
INGRAM B. A., *see* PHILBEY A. W.
IQBAL N. A. M., *see* SOMMERVILLE C.

JANSSON E., HONGSLO T., LINDBERG R., LJUNGBERG O. & SVENSSON B.-M.: Detection of *Rennibacterium salmoninarum* and *Yersinia ruckeri* by the peroxidase-antiperoxidase immunohistochemical technique in melanin-containing cells of fish tissues, 689.
JOHANNESSEN P. J., *see* HUSEVÅG B.
JØRGENSEN T., *see* BØGWALD J.
– *See also* ESPELID S.
– *See also* LUND V.

KARCZEWSKI J. M., SHARP G. J. E. & SECOMBES C. J.: Susceptibility of strains of *Aeromonas salmonicida* to killing by cell-free generated superoxide anion, 367.
KARUNSAGAR I., ROSALIND G. & KARUNSAGAR I.: Immunologicalresponse of Indian major carps to *Aeromonas hydrophila* vaccine, 413.
– *See also* KARUNSAGAR I.

KITAO T., ESHIMA T. & YOSHIDA T.: Analysis of protective mechanisms in cultured ayu, *Plecoglossus altivelis* Temminck and Schlegel, administered *Vibrio* vaccine by the immersion method, 375.
– *See also* RUANGPAN L.
KOBATASHI M., *see* SAKAI M.

LAM T. J., *see* LING K. H.
LANGDON J. S.: Description of *Vavraia parastacida* sp. nov.(Microspora: Pleistophoridae) from marron, *Cherax tenuimanus* (Smith), (Decapoda: Parastacidae), 619.
LANGDON J. S.: Microsporidiosis due to a pleistophorid in marron, *Cherax tenuimanus* (Smith), (Decapoda: Parastacidae), 33.
LANGDON J. S.: Myoliquefaction post-mortem ('milky flesh') due to *Kudoa thyrsites* (Gilchrist) (Myxosporea:Multivalvulida) in mahi mahi, *Coryphaena hippurus* L., 45.

LEE K.-K. & ELLIS A. E.: The role of the lethal extracellularcytolysin of *Aeromonas salmonicida* in the pathology of furunculosis, 453.
LEE K.-K. & ELLIS A. E.: Susceptibility of salmonid erythrocytes to lysis by bacterial lipoplysaccharides, 461.
LEWIN C. S., *see* BARNES A. C.
LINDBERG R., *see* JANSSON E.
LING K. H., SIN Y. M. & LAM T. J.: A new approach to controllingichthyophthiriastis in a closed culture system of freshwaterornamental fish, 595.
LJUNGBERG O., *see* JANSSON E.
LUND V., JØRGENSEN T., HOLM K. O. & EGGSET G.: Humoral immune responses in Atlantic salmon, *Salmo salar* L., to cellular and extracellular antigens of *Aeromonas salmonicida*, 443.
LUNESTAD B. T., *see* HUSEVÅG B.
LYNCH W. H., *see* GRIFFITHS S. G.

MANGINDAAN R. E. P., *see* YANO T.
MATSUYAMA H., *see* YANO T.
MATTHEWS R. A., *see* PULSFORD A.
MICHEL C. & FAIVRE B.: Carrier state in furunculosis: secondaryinfection of trout with different *Aeromonas salmonicida* strains results in advantage for the primarily harboured one, 571.
MILLAR S. D., *see* INGLIS V.
MORALES P. & SCHMIDT R. E.: Spindle-cell tumour resemblinghaemangiopericytoma in a common goldfish, *Carassius auratus* (L.), 499.
MORITA N., *see* SANO T.

NAKAI T., *see* URAWA S.
NIETO DIAZ-MUNOZ D., *see* BRANSON E. J.
NIETO T. P. & ELLIS A. E.: Heterogeneity of extracellular proteases produced by different isolates of *Aeromonas hydrophila* and *A. sorbia* pathogenic for fish, 229.
NOGA E. J., *see* FORSYTHE J. W.
NORBERG K., *see* SALTE R.
NOTERDAEME L., BIGAWA S., WILLEMS K. A. & OLLEVIER F.: Biochemical and physiological characteristics and plasmid profiles of *Aeromonas hydrophila* strains, isolated from freshwater fish and from fresh water, 313.
NUÑEZ S., *see* SANTOS Y.

ØDEGAARD O. R., *see* SALTE R.
OLLEVIER F., *see* GRISEZ L.
– *See also* NOTERDAEME L.

PEREZ PRIETO S., *see* RODRIQUEZ SAINT-JEAN S.
PHILBEY A. W. & INGRAM B. A.: Coccidiosis due to *Goussia lomi* (Protista: Apicomplexa) in aquarium-reared Murray cod, *Maccullochella peeli* (Mitchell), (Percichthyidae), 237.
PILAR VILAS MINONDO MA., *see* RODRIQUEZ SAINT-JEAN S.
POYNTON S. L., *see* BUNTON T. T.
PULSFORD A. & MATTHEWS R. A.: Macrophages and giant cells associated with a microsporidian parasite causing liquefaction of the skeletal muscle of the Norway pout, *Trisopterus esmarkii* (Nilsson), 67.

RICHARDS R., *see* Chávez de Martínez M. C.
RICHARDS R. H., *see* INGLIS V.
RINTAMÄKI P. & VALTONEN E. T.: *Aeromonas salmonicida* in Finland: atypical and typical strains causing problems, 323.
RODGERS C. J.: The usage of vaccination and antimicrobial agents for control of *Yersinia ruckeri*, 291.
RODRIQUEZ SAINT-JEAN S., PILAR VILAS MINONDO Ma., ANGEL PALACIOS M. & PEREZ PRIETO S.: Detection of infectious pancreatic necrosis in a carrier population of rainbow trout, *Oncorhynchus mykiss* (Walbaum), by flow cytometry, 545.
RØDSETH O. M., *see* ESPELID S.
ROSALIND G., *see* KARUNSAGAR I.
RUANGPAN L. & KITAO T.: *Vibrio* bacteria isolated from black tiger shrimp, *Penaeus monodon* Fabricus, 383.
RUSSEL G., *see* HYATT A. D.

SAKAI M., ATSUTA S. & KOBATASHI M.: The detection of serum antibody to *Renibacterium salmoninarum* in pen-cultured coho salmon, *Oncorhynchus kisutch* (Walbaum), 243.
SALTE R. & NORBERG K.: Disseminated intravascular coagulation in farmed Atlantic salmon, *Salmo salar* L.: evidence of consumptive coagulopathy, 475.
SALTE R., NORBERG K. & ØDEGAARD O. R.: Do extracellular products of *Aeromonas salmonicida* induce thrombosis by entering the fish coagulation system at factor X? 401.
SAMUELSEN O. B., *see* HUSEVAG B.
SANDUSKY G., *see* FITZGERALD S. D.
SANO T., MORITA N., SHIMA N. & AKIMOTO M.: *Herpesvirus cyprini*: lethality and oncogenicity, 533.

SANTOS Y., BANDIN I., NUÑEZ S., GRAVNINGEN K. & TORANZO A. E.: Protection of turbot, *Scophthalmus maximus* (L.), and rainbow trout, *Oncorhynchus mykiss* (Walbaum), against vibriosis using two different vaccines, 407.
SCHMIDT R. E., *see* MORALES P.
SECOMBES C. J., *see* DAVIDSON G. A.
– *See also* KARCZEWSKI J. M.
SHARP G. J. E., *see* KARCZEWSKI J. M.
SHIMA N., *see* SANO T.
SIN Y. M., *see* LING K. H.
SMITH C. E., *see* CVITANICH J. D.
SMITH S. N., *see* BARKER G. A.
SOMMERVILLE C. & IQBAL N. A. M.: The process of infection, migration, growth and development of *Sanguinicola inermis* Plahn, 1905 (Dignea: Sanguoinicolidae) in carp, *Cyprinus carpio* L., 211.
SPEARE D. J., FERGUSON H. W., BEAMISH F. W. M., YAGER J. A. & YAMASHIRO S.: Pathology of bacterial gill disease: sequential development of lesions during natural outbreaks of disease, 21.
SPEARE D. J., FERGUSON H. W., BEAMISH F. W. M., YAGER J. A. & YAMASHIRO S.: Pathology of bacterial gill disease: ultrastructure of branchial lesions, 1.
STENSVÅG K., *see* BØGWALD J.
STOBIE M., *see* AUSTIN B.
SUTHERLAND I. H., *see* INGLIS V.
SVENSSON B.-M., *see* JANSSON E.

TATNER M. F.: Modified extracellular product antigens of *Aeromonas salmonicida* as potential vaccines for the control of furunculosis in Atlantic salmon, *Salmo salar* L., 395.
THUNE R. L., *see* CHABOT D. J.
TORANZO A. E., *see* SANTOS Y.

UEKI N., *see* URAWA S.
URAWA S., UEKI N., NAKAI T. & YAMASAKI H.: High mortality of cultured juvenile Japanese flounder, *Paralichthys olivaceus* (Temminck & Schlegel), caused by the parasitic flagellate *Ichthyobodo* sp., 489.

VALTONEN E. T., *see* RINTAMÄKI P.
VAN MUISWINKEL W. B., *see* HOUGHTON G.
VARMA K. J., *see* INGLIS V.

WAKABAYASHI H.: Effect of environmental conditions on the infectivity of *Flexibacter columnaris* to fish, 279.
– *See also* CHOWDHURY M. B. R.
WATERSTRAT P. R., BRASIL J. & AINSWORTH A. J.: Use of an ELISA-based assay for the detection of antibody-secreting cells in channel catfish, *Ictalurus punctatus* (Rafinesque), 669.
WIERGERTJES G. F., *see* HOUGHTON G.
WILLEMS K. A., *see* NOTERDAEME L.

YAGER J. A., *see* SPEARE D. J.
YAMASAKI H., *see* URAWA S.
YAMASHIRO S., *see* SPEARE D. J.
YANO T., MATSUYAMA H. & MANGINDAAN R. E. P.: Polysaccharide-induced protection of carp, *Cyprinus carpio* L., against bacterial infection, 577.
YOSHIDA T., *see* KITAO T.

Journal of Fish Diseases, 1991, **14**, 703–704

Subject Index

Abalone, South African, *Clostridium, Vibrio*, 701.
Aeromonas hydrophila:
characteristics, 313;
haemolysin determinants, 303;
proteases, catfish, channel, 171;
turbot, 495;
vaccine, carps, Indian major, 413.
Aeromonas salmonicida:
antigens, 443;
antimicrobials, 641;
carp, 333;
cytolysin, 453;
dot blot assay, 419;
extracellular toxins, 265;
Finland, 323;
fluoroquinolones, 661;
Pseudomonas fluorescens, 599;
salmon, Atlantic, 353, 395;
superoxide anion, 367;
thrombosis, factor X, 401;
Aeromonas spp., siderophore production, eel, European, 423.
Anguilla anguilla, see eel, European.
Antibiotic-resistant bacteria, *Vibrio salmonicida*, 631.
Antibody specificities, salmon, Atlantic, 79.
Antimicrobials, *Aeromonas salmonicida*, 641.
API 20E, *Vibrio anguillarum, Vibrio ordalii*, 359.
Ayu, *Vibrio* vaccine, 375.

Bacterial kidney disease, salmon, coho, 243.
Bacterial lipopolysaccharides, salmonid erythrocytes, 461.
Blennius pholis, Haemogregarina bigemina, Portugal, 691.
Branchial lesions, ultrastructure, 1.

Carassius auratus, see goldfish.
Carp:
Aeromonas salmonicida, 333;
Indian major, *Aeromonas hydrophila* vaccine, 413.
polysaccharide-induced protection, 577;
Sanguinicola inermis, 211;
Catfish, channel:
Aeromonas hydrophila proteases, 171;
cracked-skull disease, 467.
Elisaplaque assay, 669, 677;
Characterization, EHNV, 157.
Cherax tenuimanus, see marron.
Chilean salmonids, rickettsia-like organism, 121.
Chondrosarcomas, rivulus, 111.
Cichlasoma urophthalmus, see cichlid.
Cichlid, vitamin C deficiency, 507.
Clarias spp., *see* catfish.
Clonal analysis, *Yersinia ruckeri*, 221.
Clostridium, Vibrio, abalone, South African, 701.
Coccidiosis, cod, Murray, 237.
Cod:
immune responses, *Vibrio anguillarum*, 185;
coccidiosis, 237.
Commensal bacteria, salmonid egg deaths, 199.
Consumptive coagulopathy, salmon, Atlantic, 475.
Coryphaena hippurus, see mahi mahi.
Cracked-skull disease, catfish, 467.
Cyprinus carpio, see carp.

Dot blot assay, *Aeromonas salmonicida*, 419.

Ectoparasitic protozoans, octopus, California mud flat, 431.
Eel, European:
Aeromonas spp., siderophore production, 423;
Vibrio vulnificus biotype 2, 104.
EHNV, characterization, 157.
Elisaplaque assay, catfish, channel, 669, 677.
Epizootic haematopoietic necrosis virus, 605.
Extracellular proteases, motile aeromonads, 229.
Extracellular toxins, *Aeromonas salmonicida*, 265.

Factor X, *Aeromonas salmonicida*, thrombosis, 401.
Finland, *Aeromonas salmonicida*, 323.
Flexibacter columnaris:
infectivity, 279;
loach, 389.
Florfenicol, furunculosis, salmon, Atlantic, 343.
Flounder, Japanese, *Ichthyobodo* sp., 489.
Flow cytometry, trout, rainbow, IPNV, 545.
Fluoroquinolones, *Aeromonas salmonicida*, 661.
Furunculosis:
Aeromonas salmonicida cytolysin, 453;
salmon, Atlantic, florfenicol, 343.

Gadus morhua, see cod.
Gill disease, bacterial, 1, 21.
Goldfish, spindle-cell tumour, 499.
Gut leucocytes, trout, rainbow, 651.

Haemogregarina bigemina, Portugal, *Blennius pholis*, 691.
Haemolysin determinants, *Aeromonas hydrophila*, 303.
Haliotis midae, see abalone, South African.
Herpesvirus cyprini, 533.

Ichthyobodo sp., flounder, Japanese, 489.
Ichthyophthiriasis, 595.
Ictalurus punctatus, see catfish, channel.
Immune responses, *Vibrio anguillarum*, cod, 185.
IPNV, flow cytometry, trout, rainbow, 545.
Iron-uptake systems, *Vibrio* spp., 249.

Kidney, trout, brook, myxosporean presporogenic stages, 503.
Kudoa sp., perch, white, 589.
Kudoa thyristes, mahi mahi, 45.

Lesions, sequential development, 21.
Loach, *Flexibacter columnaris*, 389.

Macculochella peelli, *see* cod, Murray.
Mahi mahi, *Kudoa thyristes*, 45.
Major soluble antigen, *Renibacterium salmoninarum*, 55.
Malachite green, 521.
Marron:
  microsporidiosis, 33;
  Vavria parastacida, 619.
Metastatic squamous cell carcinoma, 481.
Microsporidiosis:
  marron, 33;
  pout, Norway, 57.
Misgurnus anguillicaudatus, *see* loach.
Morone americana, *see* perch, white.
Motile aeromonads, extracellular proteases, 229.
Myxosporean presporogenic stages, kidney, trout, brook, 503.

New disease, South America, coho, salmon, 147.

Octopus, California mud flat, ectoparasitic protozoans, 431.
Octopus bimaculoides, *see* octopus, California mud flat, 431.
Oncorhynchus kisutch, *see* salmon, coho.

Paralichthys olivaceus, *see* flounder, Japanese.
Penaeus monodon, *see* shrimp, black tiger.
Perch, white, *Kudoa* sp., 589.
Plecoglossus altivelis, *see* ayu.
Polysaccharide-induced protection, carp, 577.
Portugal, *Blennius pholis*, *Haemogregarina bigemina*, 691.
Pout, Norway, microsporidian, 67.
Proliferative kidney disease, 583.
Pseudomonas fluorescens, *Aeromonas salmonicida*, 599.

Renibacterium salmoninarum:
  major soluble antigen, 55;
  salmon, Atlantic, 89, 97;
  Yersinia ruckeri, 697.
Rickettsia-like organism, chilean salmonids, 121.
Rivulus, chondrosarcomas, 111.
Rivulus marmoratus, *see* rivulus.

Salmo salar, *see* salmon, Atlantic.
Salmon:
  Atlantic:
    Aeromonas salmonicida, 353, 395, 443;
    antibody specificities, 79;
    consumptive coagulopathy, 475;
    florfenicol, furunculosis, 343;
    Renibacterium salmoninarum, 89, 97.
  coho:
    bacterial kidney disease, 243;
    new disease, South America, 147.
Salmonids:
  egg deaths, commensal bacteria, 199;
  erythrocytes, bacterial lipopolysaccharides, 461;
  viruses, trout leucocytes, 555.
Salvelinus fontinalis, *see* trout, brook.
Sanguinicola inermis, carp, 211.
Scophthalmus maximus, *see* turbot.
Shrimp, black tiger, *Vibrio* bacteria, 383.
Siderophore production, eel, European, *Aeromonas* spp., 423.
South America, coho, salmon, new disease, 147.
Spindle-cell tumour, goldfish, 499.
Superoxide anion, *Aeromonas salmonicida*, 367.

Thrombosis, factor X, *Aeromonas salmonicida*, 401.
Trisopterus esmarkii, *see* pout, Norway.
Trout:
  brook, myxosporean presporogenic stages, kidney, 503.
  rainbow:
    Aeromonas salmonicida, 571;
    fry syndrome, 685;
    gut leucocytes, 651;
    IPNV, flow cytometry, 545;
    vibriosis, turbot, 407.
Trout leucocytes, salmonid viruses, 555.
Turbot:
  Aeromonas hydrophila, 495;
  trout, rainbow, vibriosis, 407.

Vavria parastacida, marron, 619.
Vibrio:
  abalone, South African, *Clostridium*, 701;
  iron-uptake systems, 249;
  shrimp, black tiger, 383;
  vaccine, ayu, 375.
Vibrio anguillarum:
  cod, immune responses, 185;
  Vibrio ordalii, API 20E, 359.
Vibrio ordalii, API 20E, *Vibrio anguillarum*, 359.
Vibrio salmonicida, antibiotic-resistant bacteria, 631.
Vibrio vulnificus biotype 2, eel, European, 104.
Vibriosis, turbot, trout, rainbow, 407.

Yersinia ruckeri:
  clonal analysis, 221;
  control, 291;
  membrane proteins, 563;
  Renibacterium salmoninarum, 697.